EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("(miniportor(miniadj2port)) andscsianddiscsiandlunandpartition").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 14:22
S2	7	(miniport or (mini adj2 port)) and scsi and iscsi and lun and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:49
S3	10	(miniport or (mini adj2 port)) and scsi and iscsi and lun	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:30
S4	3	S3 not S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:30
S5	2	("6892264").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:21

S6	3504	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:21
S7	4	S6 and miniport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:24
S8	2	("7165258").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:24
S9	8640	709/229	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27
S10	3788	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27
S11	3222	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27

S12	3032	(709/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:28
S13	5999	(S10 or S11 or S12) and @ay< "2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:28
S14	9	S13 and restrict same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:28
S15	49	S13 and security and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S16	39	S13 and security and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29

S17	10	S13 and security and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S18	408	security and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S19	0	restrcit same access and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S20	0	restrcit same access and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S21	0	restrcit same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29

S22	213	restrict same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30
S23	160	restrict same access and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30
S24	80	restrict same access and lun and "iscsi"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30
S25	168	restrict same access and lun and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:31
S26	5	S13 and security and access same (limit or restrict) and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:36
S27	4052	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:05

S28	3440	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:05
S29	352	(709/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:06
S30	6131	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:06
S31	4	lun and clients same group and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:07
S32	17	lun and clients same group and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:07
S33	0	lun and clients same groupand targert and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:13

S34	12187	lun and clients same groupand target and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14
S35	0	lun and clients same groupand and target and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14
S36	11	lun and clients same group and target and access and authorized and storage and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14
S37	3496	S27 and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:20
S38	3496	S27 and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20
S39	6	S27 and lun and authorized and clients and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20

S40	3	S27 and lun and authorized and clients and group and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20
S41	2782	S28 and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21
S42	3	S28 and lun and authorized and clients and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21
S43	3	S28 and lun and authorized and clients and group and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21
S44	2	("20010034792").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 17:14
S45	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:11
S46	2	("6892264").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 17:52

S47	2	("7165258").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 15:19
S48	127	LUN and (dynamic or dynamically) same port and load with (balance or balancing) and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT	OR	ON	2009/05/19 15:26
S49	6	LUN and (dynamic or dynamically) same port same (bind or binding or assign or assigning or assignment) and load with (balance or balancing) and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT	OR	ON	2009/05/19 15:29
S50	2	("7275103").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 15:35
S51	3923	(709/225).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S52	4521	(709/229).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S53	8734	(709/223).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S54	5	S51 and lun and load with (balancing or balance or balancer) and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05
S55	14	S52 and lun and load with (balancing or balance or balancer) and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05
S56	34	S53 and lun and load with (balancing or balance or balancer) and (@rlad< "20030822" or @ad< "20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05

S57	385	lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:06
S58	5	S51 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S59	14	S52 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S60	34	S53 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S61	0	S51 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S62	4	S52 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S63	7	S53 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S64	7	port same url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 17:32
S65	13	port same url and lun and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 17:35
S66	30	lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54

S67	2	lun and url same port	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54
S68	4	access and lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 17:54
S69	6	access and lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54
S70	606	access and lun	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54

5/20/2009 12:45:45 PM
C:\Documents and Settings\bfritz\My Documents\EAST\Workspaces\10645087.wsp